

Dockets Management Branch (HFA-305) 126 59 MAR 23 A9:18 Food and Drug Administration 5630 Fishers Lane, Room 1061

Rockville, MD 20852

FEDERAL EXPRESS Priority #7917 0822 9101

Nutley, March 22, 1999

Re: Docket No. 98D-0994: Draft Guidance for Industry on BACPAC I

Dear Sir or Madam:

Hoffmann-LaRoche hereby encloses its comments to the Draft Guidance to Industry on BACPAC I.

Yours sincerely,

HOFFMANN-LA ROCHE INC.

David Ridge

David N. Ridge, Ph.D.

Group Director

Drug Regulatory Affairs

DNR:jw Enclosure

HLR No. 1999-673

981-1994 Hoffmann-La Roche Inc.

340 Kingsland Street Nutley, New Jersey 07110-1199 Pharma Development Drug Regulatory Bldg 1/2D34 Tel. 973-562-3696 Fax 973-562-3700 Internet:

Internet: David.ridge@roche.com

#### Note:

- Additions of new text appear in Italics.
- Suggested deletions appear as strikethroughs.

Sec.	Page	Line	Suggested Change	Comment
I	2	16	intermediates except including the	Specifications for the final intermediate should be included in BACPAC I. It will be confusing if certain aspects of the final intermediate (i.e., process conditions leading to its formation) are included in BACPAC I while others (i.e., specifications) are not.
I	2	17	FOOTNOTE 4: Changes to the final intermediate and Manufacturing	BACPAC I should cover all changes up to and including the final intermediate.
II	3	76-77	inform applicants of the type of the type of filing recommended provide the applicants with at least a general sense of the kinds of changes and the likely degree of impact of those changes, so that the applicant may consider the type of filing that may be required	Applicants need more information from DMF holder in order to make the appropriate filing.
III	4	87	document does not call for require the	
III	4	97	changes (including different salt forms) to	
IIIA	5	123-4	comparing three postmodification batches to the range of historical data from ten premodification	The number of pre and post modification batches considered must be flexible and appropriate for the given circumstances. Perhaps add a footnote explaining that three postmodification batches is customary, but that minor changes might be supportable with fewer batches. It is also imperative that historical data of less than 10 premodification batches not preclude the ability to make BACPAC changes. Also, the use of laboratory, as well as pilot-scale data should be considered if appropriate.
IIIA	5	128	if at least three postmodification	See comment for Sec.IIIA, Page 5, Lines 123-4.

Sec.	Page	Line	Suggested Change	Comment
IIIA	5	138	the upper statistical maximum upper limit	There may not be sufficient data for proper statistical analysis.
IIIA	5	139	the upper statistical maximum upper limit	See comment for Section IIIA, Page 5, Line 138.
IIIA	6	150-1	the stated specified limits, or if not specified, are at or below the maximum upper statistical limit	ICH definition of "specified impurities" should be used.
IIIA	5	152-3	upper statistical maximum upper limit	See comment for Section IIIA, Page 5, Line 138.
IIIA	6	168	batches or laboratory data in certain cases. If equivalence is demonstrated by using pilot or laboratory batches	The use of laboratory data should be considered for certain types of changes, or when the commercial scale itself is small (e.g., prep lab or pilot plant).
IIIA	7	173-5	procedures after the final intermediate (or repetition of an existing procedure on a routine basis) to achieve equivalence with prechange material after the final intermediate are	Clarification.
IIIB	7	180	made <del>before</del> up to and including the	
IIIB	7_	184	made before up to and including the	
IIIB	7	195	if at least three postmodification	See comment for Sec.IIIA, Page 5, Lines 123-4.
IIIB	7	200	profile, if pertinent.	
IVA	8	209	parameters associated with site, scale, and equipment changes should	Original wording was contradictory to the changes provided for in Section IV.C. – Manufacturing Process Changes.
IVA	8	213	The types of test	While we object to the inclusion of the general 3-batch requirement as stated above, it must not be misconstrued that demonstration batch requirements are cumulative for multiple changes.

Sec.	Page	Line	Suggested Change	Comment
IVA	8	219-21	Thecontrols.	This issue is not relevant to this document. It is covered by cGMPs.
IVA	8	227	facility (building) or contiguous campus that	
IVA	8	232	documentation for a move to a different campus or to a contract manufacturer (filed	
IVA	9	241	data on at least three batches	See comment for Sec. IIIA, Page 5, Lines 123-4.
IVA	9	243-5	Validation data purpose.	Validation of analytical methods for intermediate steps is not provided in original NDAs and this guidance must not provide for additional regulatory burdens.
IVA	9	263-4	owned either by the applicant or by a contract manufacturer, either of which has been previously	Clarification
IVA	9	262-3	if the site change does not involve the final intermediate and the	BACPAC I should cover all changes up to and including the final intermediate.
IVA	9	267	The site change involves the final intermediate	BACPAC I should cover all changes up to and including the final intermediate.
IVA	10	268	by the applicant or a contract	
IVA	10	270	by the applicant or a contract	
IVA	10-11	273-308	Omit entire Section 2 - Scale Changes.	A separate section on scale changes is neither necessary nor appropriate. Production scale information is not typically included in NDAs, nor are we aware of existing FDA policies on bulk drug scale changes, as those provided for drug product. This guidance must therefore not provide for additional regulatory burden.

Sec.	Page	Line	Suggested Change	Comment
IVA	11	313	equipment that is not significantly different of similar operating principle and material of construction from	Clarification
IVA	11	319-25	is of significantly different operating principle or material of construction from that previously used, the potential for change in the impurity profile exists even when there are no modifications to process parameters. Examples include switching from glass to metal reactors or changing the method of agitation for a step that depends on the mixing of heterogeneous materials. A significant change of equipment from that described in the NDA should be filed as an amendment(s) to the master file(s) and/or in an annual report, as appropriate and documented as described for scale changes.	Detailed equipment information is not typically filed in NDAs.
IVB	11	329	are <del>not</del> included	See comment for Sec.I, Page 2, Line 16.
IVB	12	341	method filed in the NDA with	There may be tests and methods which are not filed to the NDA but are conducted for information-gathering purposes. These must be excluded from this guidance.
IVB	12	354	Changes (to those already filed to the NDA)	See comments for Sec. IVB, Page 12, Line 341
IVB	13	370	profile and physical properties:	Physical properties are only relevant for drug substance.
IVB	13	372	on at least three batches	See comment for Sec.IIIA, Page 5, Lines 123-4.
IVB	14	395-8	Changesconcurrence. Annual report (for changes involving solvents and reagents). Changes being effected supplement (for changes involving starting materials and intermediates).	

Sec.	Page	Line	Suggested Change	Comment
IVB	14	407	procedues reported in the NDA process description in	
IVC	14	413	profile <del>and physical properties</del> :	Physical properties are only relevant for drug substance.
IVC	15	415	on at least three batches	See comment for Sec.IIIA, Page 5, Lines 123-4.
IVC	15	442	Changes being effected supplement Annual report	Process changes up to and including the final intermediate, where equivalence can be demonstrated, should be filable in an Annual Report.
IVC	16	454	data on at least three batches	See comment for Sec.IIIA, Page 5, Lines 123-4.
IVC	17	480-4	Prior approval supplement Changes being effected supplement. For route changesfiling. Changes for which equivalence cannot be demonstrated must be filed for prior-approval.	
IVC	17	486	in <del>commercial</del> availability	It must not be implied that commercial availability is a necessary requirement for defining a starting material (see recent ICH GMP Guideline).
IVC	17	501-2	A list of sources (including commercial vendors and contract manufacturers) of the redefined starting material.	Names of commercial sources are not typically filed as part of NDA documentation. A listing of vendors might be suggested in order to support the position that the material is commercially available, but must not be misconstrued as a restriction to adding additional vendors.
IVC	18	503-5	An outline of the change-control protocol that has been or will be followed when establishing the suitability of a new supplier or when the existing supplier's process is changed.	This is not relevant to this guidance. Change control is a cGMP issue, not a registration issue.
IVC	18	506	profile and physical properties:	Physical properties are only relevant for drug substance.

Sec.	Page	Line	Suggested Change	Comment
IVC	18	507-32	A report onfor guidance.	Delete entire section. This is information that is not customarily filed to an original NDA. Changes to starting material vendors is a change control/cGMP issue, not a review issue.
IVC	18	538	Changes being effected supplement. Annual Report.	
IVD	19	541	The type of test	Not applicable to the number of test batches. See comment for Sec. IV, Page 8, Lines 213-4.
Attach.	21	563	intermediates except including the	See comment for Sec.I, Page 2, Line 16.
Attach.	22	585	The step wherein the solution	Clarification.
Attach.	22	589-93	from 10 recent  The upper statisticalon < 10 batches.)	The number historical batches considered must be flexible and appropriate for the given circumstances. If possible, data on the 10 most recent batches should be reviewed. See comment from Sec. IIIA, Page 5, Lines 138-9.
Attach.	24	642	are usually may be available	Commercial availability is not a necessary requirement for a starting material (see recent ICH GMP guideline).
Attach.	24		Add ICH definition for "specified impurity".	See comment for Section IIIA, Page 5, Lines 150-1.

SHIPPER'S FEDEX ACCOUNT NUMBER



PHONE: (973)562-3696

TO:

FRUM: PI David N. Ridge, Ph.D. HOFFMANN-LA ROCHE INC 340 KINGSLAND STREET BLDG. 1, 2ND FLOOR NUTLEY NJ 071101199

SHIP DATE: 22MAR99 MAN WGT: 1 LBS

PHONE: (301)827-6860

**DOCKETS MANAGEMENT BRANCH (HFA-305)** FOOD AND DRUG ADMINISTRATION 5630 FISHERS LANE, ROOM 1061

# **ROCKVILLE MD 20852**

DELIVERY ADDRESS TRK # 7917 0822 9101 FORM ID: 0201 20852-MD-US

IAD

ДД

Deliver by: 23MAR99

